Iono-Set I&I

Universal Glass Ionomer Liquid for Dental Cements



PRODUCT DESCRIPTION:

D Tech IONO-SET is a Universal Glass Ionomer Liquid that can be used in conjunction with both;

TYPE I Glass Ionomer Powder (for Luting)

TYPE II Glass Ionomer Powder (For Restoration)

INDICATIONS FOR USE:

For setting of Glass Ionomer Luting Cement (Type I)

For setting of Glass ionomer Restorative Cement (Type II)

DIRECTIONS FOR USE:

- 1. For Luting Glass Ionomer use a mixing raio of 1.8g to 2 gms powder to 1gm of liquid.*
- $2. For Restorative\ Glass\ ionomer\ use\ a\ mixing\ ratio\ of\ approximately\ 2.8\ to\ 3\ gms\ of\ powder\ to\ 1\ gm\ of\ liquid.*$
- 3. For accurate dispensing, slowly turn the bottle upside down so as to avoid trapping air & squeeze gently. 4. Close the bottle immediately after use. Dispense powder and liquid on to a mixing pad. Using a plastic
- 4. Close the bottle immediately after use. Dispense powder and liquid on to a mixing pad. Using a plastic spatula, divide the powder into 2 equal parts. Mix the first portion with all the liquid for 10 seconds . Incorporate the remaining portion and mix the whole thoroughly for 15-20 seconds.
- * Ratios are expressed by weight. This does not translate to scoop and drop ratio.
- ** For all other instructions refer to the cement instructions with which the liquid is being used.

TECHNICAL DATA RESTORATIVE

Mixing Time @ 23°C	30 second
Working time @ 23°C	1:45 min
Initial Setting time @ 23°C	2:30 min
Final Setting time @ 23°C	4:00 min
Shelf life	2 years

TECHNICAL DATA LUTING

Mixing Time @ 23°C	30 second
Working time @ 23°C	2:00 min
Initial Setting time @ 23°C	2:30 min
Final Setting time @ 23°C	4:00 min
Shelf life	2 years

- 1. All setting times are calculated from start of mixing.
- 2. Setting time values are approximate and can vary based on powder used.
- 3. Note: Do not use this liquid with cement powders that already contain freeze dried acids.

PRECAUTIONS:

- 1. In case proximity of the pulp is closer than 1-1.5 mm, use pulp protection like Calcium Hydroxide to avoid irritation.
- 2. Close liquid bottle immediately after use in order to maintain consistency & to avoid gelling.
- 3. In case of contact with eyes, flush immediately with water and seek medical attention.
- 4. Avoid using on patients with known allergies to glass ionomers . In case of allergy refer to physician.

PACKAGING:

- 1. Dropper of 15gm IONO- SET Universal Glass Ionomer Liquid
- 2. Instruction sheet

STORAGE:

Store at a temperature of $4\sim25^{\circ}$ C (39.2 $\sim77.0^{\circ}$ F) Keep away from humidity and direct sunlight. Tightly close liquid dropper after use.

For use only in dentistry

D Tech Dental Technologies,

62, Reality Warehousing Gat No 2323/1, Wagholi Pune India- 412207 Customer Care- 9370145806

E Mail - info@dtechasia.com

© 0123

EC | REP | OBELIS S.A

Bd General Wahis, 1030 Brussels
Belgium, mail@obelis.net

For use only in dentistry

